



CLINICAL RECORD FORMS

(no watermarks)

A: NORMAL BIRTH PACKAGE

Labour: First Stage

Labour: Second Stage

Immediate Postpartum/Third Stage and Labour Summary

Perineal Repair/Instrument Record/Departure

Immediate Newborn Care and Summary

Newborn Narrative/Informed Choice Discussion

B: POSTPARTUM PACKAGE

Newborn Summary and Postnatal Care

Client Summary and Postnatal Care

C: EXTRA FORMS

Assessment Record

Client Transfer Record

Newborn Transfer Record

Newborn Resuscitation Record

Narrative Notes

Signature Page

Client name: _____

DOB: DD/MM/YY

OR OPTIONAL LABEL

Immediate Postpartum/Third Stage and Labour Summary

| Date | | | | | |
|------|--------------|--------|--------|---|----------|
| Time | BP, P [T, R] | Lochia | Uterus | Notes (Assessments, interventions, responses to interventions, breastfeeding, void) | Initials |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIRD STAGE / PLACENTA

| | | |
|--|--|---|
| Delayed cord clamping <input type="checkbox"/> yes <input type="checkbox"/> no | Elements of 3rd Stage Management Used: <input type="checkbox"/> Breastfeeding <input type="checkbox"/> Client effort <input type="checkbox"/> Controlled cord traction <input type="checkbox"/> Prophylactic oxytocin | PPH Management <input type="checkbox"/> Uterine massage <input type="checkbox"/> Bimanual compression <input type="checkbox"/> Uterotonics (chart below) <input type="checkbox"/> Other: _____ |
| Placenta and membranes delivered: Date: _____ Time: _____ Complete: <input type="checkbox"/> Yes <input type="checkbox"/> No | | Notes (cord insertion, # of vessels, presence of knots; sent to pathology for testing, given to parents, disposed of, looks incomplete): _____ _____ _____ |
| <input type="checkbox"/> Placenta born in water | | Initials: _____ |

TOTAL ESTIMATED BLOOD LOSS _____ mL >500 mL <500 mL

POSTPARTUM MEDICATIONS

| <input type="checkbox"/> oxytocin: 10 units IM time: _____ initials: _____ <input type="checkbox"/> oxytocin: 5 units IV push time: _____ initials: _____ <input type="checkbox"/> acetaminophen ___ mg p.o. time: _____ initials: _____ <input type="checkbox"/> ibuprofen ___ mg p.o. time: _____ initials: _____ <input type="checkbox"/> _____ | <input type="checkbox"/> misoprostol: ___ units sublingual time: _____ initials: _____ <input type="checkbox"/> misoprostol: ___ units per rectum time: _____ initials: _____ <input type="checkbox"/> ergonovine: _____ dose time: _____ initials: _____ <input type="checkbox"/> carboprost: _____ dose time: _____ initials: _____ <input type="checkbox"/> _____ | | | | |
|--|--|------|-------|------|----------|
| Time | Medication, IV fluid (if not charted above) | Dose | Route | Site | Initials |
| | | | | | |
| | | | | | |

| DATE: | Onset | End | Duration | Total active labour | PLACE OF BIRTH: |
|------------------------------|-------|-----|----------|---------------------|---|
| Latent 1 st stage | | | | | Planned: <input type="checkbox"/> home <input type="checkbox"/> hospital <input type="checkbox"/> birth centre <input type="checkbox"/> other Actual: <input type="checkbox"/> home <input type="checkbox"/> hospital <input type="checkbox"/> birth centre <input type="checkbox"/> other |
| Active 1 st stage | | | | | <input type="checkbox"/> live birth <input type="checkbox"/> stillbirth |
| Time fully dilated | | | | | Position at birth: client: _____ |
| Time started pushing | | | | | <input type="checkbox"/> waterbirth |
| 3 rd stage | | | | | Presentation at birth: fetal: <input type="checkbox"/> vertex <input type="checkbox"/> other: _____ Amniotic fluid at birth: <input type="checkbox"/> clear <input type="checkbox"/> meconium (length of ROM: _____) |

Client name: _____

DOB: DD/MMM/YYYY _____

OR OPTIONAL LABEL

Perineal Repair/Instrument Record/Departure

| PERINEUM, VAGINA AND VULVA | |
|--|---|
| <input type="checkbox"/> Intact | |
| <input type="checkbox"/> Laceration: <input type="checkbox"/> 1st <input type="checkbox"/> 2nd <input type="checkbox"/> 3rd <input type="checkbox"/> 4th degree <input type="checkbox"/> Vaginal <input type="checkbox"/> Perineal <input type="checkbox"/> Labial | |
| <input type="checkbox"/> Episiotomy: <input type="checkbox"/> Midline <input type="checkbox"/> Mediolateral: <input type="checkbox"/> Left <input type="checkbox"/> Right | |
| <input type="checkbox"/> Other trauma: _____ | |
| Repaired: <input type="checkbox"/> Yes <input type="checkbox"/> No Repaired by: _____ | |
| REPAIR Materials used: _____ | |
| <input type="checkbox"/> Lidocaine 1% _____ cc infiltrated TIME: _____ | <input type="checkbox"/> With epinephrine |
| <input type="checkbox"/> Lidocaine 2% _____ cc infiltrated TIME: _____ | <input type="checkbox"/> Xylocaine gel 2% |
| Repair underway: _____ | Repair complete: _____ |
| Notes: _____ _____ _____ _____ | |
| _____ Initials: _____ | |

| POSTPARTUM NEWBORN/MATERNAL BLOOD COLLECTION | | |
|---|--|---|
| Cord blood: <input type="checkbox"/> collected <input type="checkbox"/> not collected | Client blood sample: | Samples will be submitted to lab: (name of lab): _____ |
| If collected, collected for: | <input type="checkbox"/> Not collected | |
| <input type="checkbox"/> ABO type + factor <input type="checkbox"/> Arterial gases | <input type="checkbox"/> Collected | |
| <input type="checkbox"/> Venous gases <input type="checkbox"/> Section of cord | | |
| <input type="checkbox"/> Kleihauer Betke <input type="checkbox"/> Other: _____ | | |

| INSTRUMENTS USED (birth and suturing) | |
|--|-----------------|
| Sterilization load/ tracking #/ tray # | Date sterilized |
| | |
| | |
| | |

| DEPARTURE | |
|---|-------------|
| <input type="checkbox"/> reviewed postpartum instructions as per protocol | |
| Client-specific departure instructions: _____ | |
| Client departure (if birth at clinic, birth centre or other site) Date: _____ | Time: _____ |

| |
|--|
| Transfer: Indication: _____ |
| <input type="checkbox"/> ambulance <input type="checkbox"/> private vehicle <input type="checkbox"/> client transfer record attached |

| | Name (printed) | Time of departure | | Name (printed) | Time of departure |
|---------|----------------|-------------------|------------|----------------|-------------------|
| 2nd MW | | | Student MW | | |
| Prim MW | | | Student MW | | |

Baby of: _____
 Baby's name: _____
 DOB: _____ DD/MMM/YYYY

Immediate Newborn Care and Summary

Date and time of birth: _____

Sex: Male Female Ambiguous

Resuscitation: No Yes (used **Neonatal Resuscitation Record**)

Antenatal/postpartum risk factors/concerns/issues to follow up: (maternal Hep B or GBS status, plans for postpartum monitoring of glucose or head circumference, SGA/LGA, etc.) _____

| Time | HR | RR | Temp | Other Assessments (e.g. colour, O ₂ saturation, breastfeeding, alertness) | Actions/Notes (e.g. stimulation, warming, assistance with breastfeeding, suctioning) | Initials |
|------|----|----|------|--|--|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

GA: _____ Weight: _____ grams _____ lb _____ oz HC: _____ cm L: _____ cm Chest (optional) _____ cm
 Weight% for GA: _____ %ile

Time of exam: _____ (checkmark if normal) HR: _____ bpm RR _____ /min Temp (axilla): _____ °C

- | | | |
|---|---|---|
| <input type="checkbox"/> 1. Appearance | <input type="checkbox"/> 7. Abdomen | <input type="checkbox"/> 10. Void |
| <input type="checkbox"/> 2. Skin | <input type="checkbox"/> <i>Umbilicus</i> | <input type="checkbox"/> 11. Meconium |
| <input type="checkbox"/> 3. Head and neck | <input type="checkbox"/> <i>Vessels (three)</i> | <input type="checkbox"/> 12. Neurological |
| <input type="checkbox"/> <i>Eyes</i> | <input type="checkbox"/> 8. Genitourinary | <input type="checkbox"/> <i>Tone</i> |
| <input type="checkbox"/> <i>Red reflexes</i> | <input type="checkbox"/> <i>Descended testicles</i> | <input type="checkbox"/> <i>Symmetry</i> |
| <input type="checkbox"/> <i>Mouth & palate</i> | <input type="checkbox"/> <i>Patent anus</i> | <input type="checkbox"/> <i>Arms and hands</i> |
| <input type="checkbox"/> <i>Ears</i> | <input type="checkbox"/> <i>Patent vagina</i> | <input type="checkbox"/> <i>Reflexes present</i> |
| <input type="checkbox"/> <i>Sutures & fontanelles</i> | <input type="checkbox"/> 9. Musculoskeletal | <input type="checkbox"/> <i>Rooting</i> <input type="checkbox"/> <i>Sucking</i> |
| <input type="checkbox"/> <i>Nose, nares</i> | <input type="checkbox"/> <i>Hips</i> | <input type="checkbox"/> <i>Moro</i> <input type="checkbox"/> <i>Plantar</i> |
| <input type="checkbox"/> 4. Heart sounds | <input type="checkbox"/> <i>Spine</i> | <input type="checkbox"/> <i>Babinski</i> <input type="checkbox"/> <i>Grasp</i> |
| <input type="checkbox"/> 5. Femoral pulses | <input type="checkbox"/> <i>Clavicles</i> | |
| <input type="checkbox"/> 6. Lungs | <input type="checkbox"/> <i>Arms and hands</i> | |
| | <input type="checkbox"/> <i>Legs and feet</i> | |

Additional Notes (number and describe abnormal findings):

Initials: _____

| MEDICATIONS | APGAR SCORES | | | | | | |
|---|--------------------|-------------|--------------|-------------------|-------|--------|--|
| | 0 | 1 | 2 | 1 Min | 5 Min | 10 Min | |
| <input type="checkbox"/> Vitamin K 1 mg IM <input type="checkbox"/> R <input type="checkbox"/> L thigh Time: _____ Initials: _____ | Heart rate | Absent | <100 | >100 | | | |
| <input type="checkbox"/> Erythromycin eye prophylaxis Time: _____ Initials: _____ | Respiratory effort | Absent | Weak cry | Strong cry | | | |
| <input type="checkbox"/> Other: _____ Initials: _____ | Reflex stimuli | No response | Grimace | Active withdrawal | | | |
| If declined or parents refused access to baby, document informed choice discussion on <i>Narrative Notes or a refusal to treat form (if used in your setting)</i> | Muscle tone | Limp | Some flexion | Well flexed | | | |
| | Colour | Pale/blue | Acrocyanosis | All pink | | | |
| | Total | | | | | | |
| | Initials | | | | | | |

Client's name: _____

DOB: _____ DD/MM/YYYY

OR OPTIONAL LABEL

Assessment Record (Page 1)

| | |
|--|--|
| Date: _____ | <input type="checkbox"/> Screened for signs and symptoms of infectious disease |
| Client's arrival time or midwife's arrival time at home: _____ h | |
| Reason for assessment: _____ | |
| HISTORY | |
| G ____ T ____ P ____ A ____ L ____ EDB _____ GA _____ | |
| Allergies: <input type="checkbox"/> NKA <input type="checkbox"/> Yes, specify/reactions: _____ | |
| Blood Group: ____ Rh: ____ Rubella: I / non-I / equiv Hep B: - / + HIV: - / + / unknown | |
| GBS: - / + / unknown / declined Last swab: _____ | |
| Intrapartum antibiotic prophylaxis strategy: | |
| <input type="checkbox"/> based on GBS+ status <input type="checkbox"/> based on GBS+ status and risk factors <input type="checkbox"/> based risk factors only <input type="checkbox"/> declines prophylaxis | |
| Additional relevant history _____ | |

ASSESSMENT

| | | | | | | | | | | |
|--|---|--|--------|---|--|----------------|--|--|---|--|
| Position by Palpation: _____ | | | | AMNIOTIC FLUID TESTS (if indicated) | | | | | | |
| FHR | Time | | | | | | Sterile speculum: <input type="checkbox"/> Yes <input type="checkbox"/> No Fluid visualized: <input type="checkbox"/> Yes <input type="checkbox"/> No Ferning: <input type="checkbox"/> Pos <input type="checkbox"/> Neg Nitrazine: <input type="checkbox"/> Pos <input type="checkbox"/> Neg <input type="checkbox"/> equiv Description of fluid: _____ | | | |
| | Mode (IA, EFM) | | | | | | Speculum sterilization load/tracking # and date: _____ | | | |
| | FHR (bpm) | | | | | | Membranes: <input type="checkbox"/> Intact <input type="checkbox"/> Ruptured <input type="checkbox"/> Equivocal Since (date/time): _____ | | | |
| | Rhythm/variability | | | | | | | | | |
| | Accelerations | | | | | | | | | |
| | Decelerations | | | | | | | | | |
| | | | | VAGINAL EXAM | | | | | | |
| | | | | Time | | | | | | |
| CONTRACTIONS | Classification | | | | | | Cx dilation (cm) | | | |
| | Mode (Palp, Toco) | | | | | | Cx effacement (%) | | | |
| | Frequency (q ____ min) | | | | | | Cx position (Ant, Mid, Post) | | | |
| | Duration (sec) | | | | | | Cx consistency (Soft, Med, Firm) | | | |
| | Intensity (Mild, Mod, St) | | | | | | Station | | | |
| Resting tone (Soft, Firm) | | | | | | Fetal position | | | | |
| Initials | | | | Initials | | | | | | |
| VITAL SIGNS | | | | FETAL ASSESSMENT LEGEND | | | | | | |
| | | | | <table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> Rhythm (for IA) R = Regular I = Irregular Variability (for EFM) Ø = Absent (undetectable) Min = Minimal (≤ 5 bpm) Mod = Moderate (6-25 bpm) Mar = Marked (> 25 bpm) </td> <td style="width: 33%; vertical-align: top;"> Accelerations √ = Present/spontaneous Ø = Absent/not heard SS = Present/scalp stimulation Classification N = Normal ATYP = Atypical ABN = Abnormal </td> <td style="width: 33%; vertical-align: top;"> Decelerations √ = Present Ø = Absent/not heard E = Early V = Variable * L = Late * P = Prolonged * * Charting includes: ↓ ____ bpm x ____ sec </td> </tr> </table> | | | | Rhythm (for IA) R = Regular I = Irregular Variability (for EFM) Ø = Absent (undetectable) Min = Minimal (≤ 5 bpm) Mod = Moderate (6-25 bpm) Mar = Marked (> 25 bpm) | Accelerations √ = Present/spontaneous Ø = Absent/not heard SS = Present/scalp stimulation Classification N = Normal ATYP = Atypical ABN = Abnormal | Decelerations √ = Present Ø = Absent/not heard E = Early V = Variable * L = Late * P = Prolonged * * Charting includes: ↓ ____ bpm x ____ sec |
| Rhythm (for IA) R = Regular I = Irregular Variability (for EFM) Ø = Absent (undetectable) Min = Minimal (≤ 5 bpm) Mod = Moderate (6-25 bpm) Mar = Marked (> 25 bpm) | Accelerations √ = Present/spontaneous Ø = Absent/not heard SS = Present/scalp stimulation Classification N = Normal ATYP = Atypical ABN = Abnormal | Decelerations √ = Present Ø = Absent/not heard E = Early V = Variable * L = Late * P = Prolonged * * Charting includes: ↓ ____ bpm x ____ sec | | | | | | | | |
| Time: | BP: | P: | T: | | | | | | | |
| Time: | BP: | P: | T: | | | | | | | |
| URINE | | | | | | | | | | |
| Time: | Protein: | Ketones: | Other: | | | | | | | |

Client name: _____
 DOB: _____ DD/MMM/YYYY

OR OPTIONAL LABEL

Client Transfer Record

| | |
|---|---|
| REASON FOR TRANSFER: _____ | |
| Time of birth: _____ | _____ |
| Time EMS called: _____ by: _____ | Attending midwife: _____ |
| Time EMS arrived: _____ Departure time: _____ | Report given to (if applicable): _____ |
| Time hospital called: _____ by: _____ | Time of transfer to MD (if applicable): _____ |
| Arrival time at hospital: _____ | Emergency contact: _____ |
| Receiving hospital: _____ | Telephone number: (_____) _____ |
| <input type="checkbox"/> Ambulance <input type="checkbox"/> private vehicle | |

| | |
|---|--|
| CLIENT HISTORY (or attach copy of OAR) <input type="checkbox"/> Attached | |
| G ___ T ___ P ___ A ___ L ___ EDB _____ GA _____ Blood group: _____ Rh: _____ | |
| Rubella: I / non-I Hep B: - / + HIV: - / + / unknown Hemoglobin: _____ GBS status: - / + / unknown / declined | |
| Allergies: <input type="checkbox"/> NKA <input type="checkbox"/> Yes, specify/reactions: _____ | |
| Current medications: _____ | |
| History of LSCS or other uterine surgery: _____ | |
| Relevant medical/obstetrical history: _____ | |

| | | |
|--|-----------------------------|---------------|
| LABOUR AND BIRTH | Onset of labour date: _____ | Time: _____ h |
| Membranes: <input type="checkbox"/> Intact <input type="checkbox"/> Ruptured Length of rupture: _____ h Meconium: <input type="checkbox"/> Present <input type="checkbox"/> Absent | | |
| Most recent internal exam: Time: _____ h Dilatation: ___ cm Station: ___ Effacement: _____ Position: _____ | | |
| Summary of fetal heart status: _____ | | |
| Birth date: _____ Time: _____ h | | |
| Placenta: <input type="checkbox"/> In situ <input type="checkbox"/> Delivered: Time: _____ h <input type="checkbox"/> Transferred to hospital | | |
| Interventions: _____ | | |
| Client condition at departure: Time: _____ h BP: _____ P: _____ Other: _____ | | |

| | |
|--|----------------------------------|
| MEDICATIONS PRIOR TO TRANSPORT | Medications during labour: _____ |
| GBS antibiotics: _____ # of doses: _____ Oxytocics: _____ # of doses: _____ Other: _____ | |

| CARE DURING TRANSPORT | | IV fluid: _____ | | Rate: _____ mL/hr | | Volume remaining on arrival: _____ mL | | | |
|------------------------------|-----|-----------------|----|----------------------|----------------|---------------------------------------|--------------------------|----------------------------|----------|
| Time | FHR | Pulse | BP | Contractions | | | Medications (Dose/route) | Notes (include blood loss) | Initials |
| | | | | Frequency (q ___min) | Duration (sec) | Intensity (Mild, Mod, St) | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| UPON ARRIVAL AT HOSPITAL | | | | | | | | | |
| | | | | | | | | | |
| <input type="checkbox"/> Care during transport charted by EMS personnel <input type="checkbox"/> Copy attached Paramedic name: _____ | | | | | | | | | |

Student name: _____ Signature: _____
 Midwife name: _____ Signature: _____
 If this form is filled out as a late entry: _____ Time: _____ Name _____ Initials _____

Baby's name: _____

DOB: DD/MMM/YYYY _____

Baby of: _____

Newborn Resuscitation Record (Page 1) *attach to Newborn Transfer Record*

| | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|-------------------------------------|--|
| Time of birth: _____ | | | | | | | | | | | |
| Meconium stained fluid: <input type="checkbox"/> YES <input type="checkbox"/> NO <i>If yes: trachea suctioning before stimulation with ETT and mec aspirator:</i> <input type="checkbox"/> YES <input type="checkbox"/> NO <i>If yes: tube size (circle):</i> 3.5 4.0 Meconium seen in tube: <input type="checkbox"/> YES <input type="checkbox"/> NO <i>See page 2 for intubation for ventilation, LMA, UVC and epinephrine</i> | | | | | | | | | | # attempts: _____ by whom: _____ | |
| Time: | | | | | | | | | | | |
| Heart rate (bpm) | | | | | | | | | | | |
| Respiratory rate (/min) | | | | | | | | | | | |
| Muscle tone (limp, some flexion, well flexed) | | | | | | | | | | | |
| Stimulation (√) | | | | | | | | | | | |
| Suction (√) | | | | | | | | | | | |
| PPV (indicate mask, LMA, ET) | | | | | | | | | | | |
| PPV effective? Y / N <i>If N, chart corrective measures MRSOPA (see legend below)</i> | | | | | | | | | | | |
| SPO ₂ (%) (right hand) | | | | | | | | | | | |
| Approx pressure from pres- sure gauge (if attached): _____ (aim for 30-40cm H ₂ O) | | | | | | | | | | | |
| Room air / 40% / 100% (see legend below) | | | | | | | | | | | |
| Respiratory effort (absent, weak cry, strong cry, grunting) | | | | | | | | | | | |
| CPAP (√ note pressure) (5 cm H ₂ O) turn on O ₂ and con- sider intubation | | | | | | | | | | | |
| Chest compressions Y / N (prioritize effective ventilation, consider intubation) | | | | | | | | | | | |
| Orogastric tube 8F (√) (nose to ear to xyphoid / sternum midpoint) | | | | | | | | | | | |
| Gastric contents evident on drawback? Y / N | | | | | | | | | | | |

| Legend | |
|--------|---|
| RA | Room air |
| 40% | O ₂ concentration with self-inflating bag without reservoir connected to oxygen |
| 100% | O ₂ concentration with self-inflating bag with reservoir connected to oxygen |
| M | Mask adjustment (seal) |
| R | Reposition airway ("sniffing") |
| S | Suction (mouth then nose) |
| O | Open mouth, lift jaw forward |
| P | Pressure increase |
| A | Airway alternative (LMA or ET) |

Baby's name: _____

DOB: _____ DD/MM/YY

Baby of: _____

Newborn Resuscitation Record (Page 2)

| APGAR | | | 1 Min | 5 Min | 10 Min | 15 Min | 20 Min | 25 Min | 30 Min |
|--------------------|-------------|--------------|-------------------|-------|--------|--------|--------|--------|--------|
| | 0 | 1 | 2 | | | | | | |
| Heart rate | Absent | <100 | >100 | | | | | | |
| Respiratory effort | Absent | Weak cry | Strong cry | | | | | | |
| Reflex stimuli | No response | Grimace | Active withdrawal | | | | | | |
| Muscle tone | Limp | Some flexion | Well flexed | | | | | | |
| Colour | Pale/blue | Acrocyanosis | All pink | | | | | | |
| Total | | | | | | | | | |
| Initials | | | | | | | | | |

Laryngeal Mask Airway

Insertion:

Test inflated with 4mls air + deflated (open side facing towards baby's tongue, closed side along baby's palate)

Once placed inflated with 2-4 mLs air

Signs of effective air entry YES NO (see legend below)

LMA placement assessed to be correct YES NO (if no, chart repeat attempts in narrative section or on duplicate form)

Secured with tape

Time inserted: _____

By whom: _____

Endotracheal Tube

Insertion for ventilation

Blade size (circle): 0 1 Tube size (circle): 3.0 3.5 4.0

Free flow O2 while intubating YES NO Cords visualized YES NO

Signs of effective air entry YES NO (see list below)

Tip to lip (circle) 3kg - 9cm 4kg - 10 cm

Tube placement assessed to be correct YES NO (if no, chart repeat attempts in narrative section or on duplicate forms)

Secured with tape neobar

Time inserted: _____

attempts: _____

Time elapsed: _____

By whom: _____

Medication by ETT

Epinephrine 1:10,000 ET tube dose: 1 mL/kg (max 3mL) in 3mL syringe = _____

Followed by several PPV breaths

Time admin: _____

By whom: _____

Signs of Effective Air Entry Legend (LMA + ETT)

- Vapour in ET tube with exhalation
- CO₂ detector purple → yellow
- Equal breath sounds over both lungs
- Symmetrical mvmnt of chest
- Decreased/absent breath sounds over stomach
- Improvement of HR + SPO₂
- No gastric distension (ET)

UVC Insertion

Cord cleaned Cord tied Cord recut to 2 cm Stop cock attached to catheter

5F catheter filled with normal saline prior to insertion

Catheter inserted 1-4 cm flashback seen Insertion depth noted: _____

Secured with opsite/tegaderm/tape

Time of insertion: _____

Depth noted: _____

Inserted by: _____

Medication by UVC

Epinephrine 1:10,000 UVC dose: 0.1 mL/kg = _____ (rapidly) flushed with NS up to 5mLs

Volume expansion N/S or R/L 10 mL/kg (may repeat once) = _____ over 5 - 10 mins

Time admin: _____

Instrument sterilization load/tracking#

Date

Midwives present and roles: _____

Documentation by: _____

If this form is filled out as a late entry: _____ Time: _____ Name _____ Initials _____

